



Summers

INDUSTRIAL SUPPLY

R. ELECTRICAL

R.1. Circuit Breakers & Fuses

R.1.1. Circuit Breakers

R.1.2. Fuses

R.2. Conduit & Accessories

R.2.1. Conduit

R.2.2. Conduit Fittings & Housings

R.2.3. Conduit Tools & Accessories

R.2.4. Outlet & Switch Boxes,

Accessories

R.2.5. Channel, Clamps, Straps & Accessories

R.2.6. Outlet & Switch Box Covers

R.2.7. Lampholders & Accessories

R.3. Safety Switches & Breaker Panels

R.4. Electrical Outlet Receptacles, Plugs & Connectors

R.4.1. Receptacles

R.4.2. Plugs

R.4.3. Connectors

R.4.4. Switches

R.4.5. Adapters

R.5. Wire & Cable

R.5.1. Wire, Cable & Cord

R.5.2. Marking, Protection & Insulation

R.5.3. Electrical Wire Connectors

R.5.4. Tools & Accessories

R.6. Power Distribution

R.6.1. Extension Cords

R.6.2. Power Strips & Surge Protectors

R.7. Electrical Starters, Switches, Controls

R.7.1. Contactors & Starters

R.7.2. Electrical Switches

R.7.3. Push Buttons

R.7.4. Misc. Controls

R.8. Batteries

800-634-6313

423-461-4700

www.summersindustrial.com

R.1. Circuit Breakers & Fuses

R.1.2. Fuses

FUSE, TIME DELAY DUAL ELEMENT

Part#	MFG#	Amp	Voltage
10012477	FRN-R5	5	250
10012479	FRN-R25	25	250
10012485	FRS-R30	30	600
10012487	FRS-R60	60	600



COOPER Bussmann

FUSE PLUG T-SERIES 30A

Time-Delay Plug Fuse, Edison Base, Heavy-Duty, Dual Element, Voltage 125V, 30A

10012474 T30



COOPER Bussmann

FUSE PLUG 30A

Time-Delay Plug Fuse, Edison Base, Medium-Duty, Dual Element, Voltage 125V, 30A

10012472 TL-30 (W-30)



COOPER Bussmann

R.2. Conduit & Accessories

R.2.1. Conduit

CONDUIT EMT 1/2" EG STK=10'

1/2 x 10 EMT Conduit, Steel, Outside Diameter 0.706"

10012651 234880



BRIDGEPORT

CONDUIT PVC S40 3/4" STK=10'

10' Rigid Non Metallic Schedule 40 Electrical Conduit, 3/4" Nominal Size

10012577 49007(25107)



BRIDGEPORT



R.2.5. Channel, Clamps, Straps & Accessories

RIGID CONDUIT STRAP, ONE HOLE, STEEL

Part#	MFG#	Size
10012707	901S	1/2"
10012708	902.5	3/4"
10012709	L602T	1"
10012710	905-S	1-1/2"
10012711	HS106	2"
10012712	HS108	3"



EMT CONDUIT STRAP, ONE HOLE, STEEL

Part#	MFG#	Size
10012701	920S	1/2"
10012702	921S (L651/TS-102)	3/4"
10012703	922-S	1"
10012704	L653	1-1/4"
10012705	L654	1-1/2"



R.5. Wire & Cable

R.5.1. Wire, Cable & Cord

WIRE 14GA THHN WHT/GRN STRIPED STRANDED

Building Wire - 600 Volt, THHN THWN-2, Solid or Stranded Annealed Copper Conductor, 14 AWG, 0.110 Nom. O.D., White

10013022 M514ST-02



R.5.2. Marking, Protection & Insulation

TAPE ELECTRIC #88 3M BLK 3/4" X 66'

Scotch Professional Grade Vinyl Electrical Tape Super 88, Adhesive Material Rubber Resin, Backing Material Polyvinyl Chloride, Vinyl, Breaking Strength 22 lb/in, Black

10012799 6143



TAPE HI VOLT 3/4" X 30' 130C

Scotch Linerless Rubber Splicing Tape 130C, Adhesive Material Rubber Resin, Backing Material Ethylene Propylene Rubber, Breaking Strength 7.5 lb/in, Black

10012802 41717



HEAT SHRINK TUBING, DUAL WALL

Part#	MFG#	I.D.	Thickness	Length	Color
10015223	29006BL-48	1/4"	0.04	48"	Blue
10014418	29006-48	1/4"	0.04	48"	Black
10006993	29008-48	3/8"	0.05	48"	Black
10006994	29009-48	1/2"	0.5	48"	Black
10006995	29010-48	3/4"	0.75	48"	Black



R.5.3. Electrical Wire Connectors

TERMINAL RING INSULATED 12-10AWG #10 STUD

Standard Rings, 12-10 GA Standard Size, #10 Stud
10006992 45414



TERMINAL RING INSULATED #10 X 12-10 AWG

Vinyl insulated ring terminal. Tin-plated brass construction. Features butted seam construction internal barrel serrations shouldered barrel insulation and expanded insulation entry. Color-coded. Wire ranged stamped on terminal. For use with 12 to 10 AWG

10013060 83-2341



WIRE NUTS, WIRE CONNECTOR

Part#	MFG#	Color	Size
10012752	30-072	Blue	#22-16 AWG
10012751	30-071	Gray	#22-16 AWG
10012753	30-073	Orange	#20-16 AWG
10012754	30-074	Yellow	#18-12 AWG
10012755	30-076	Red	#14-10 AWG



Wing NUTS, WIRE CONNECTOR

Part#	MFG#	Color	Size
10012756	30-452	Red	#14-12 AWG
10012986	30-454 10608	Blue	#12-8 AWG



STEEL CRIMP CONNECTOR, SPLICING CAP 6000V

Part#	MFG#	Min. Wire Size	Max Wire size
10012759	30-410	1 #14 w/ 1 #18	2 #10 w/ 2 #14
10012760	30-412	1 #14 w/ 1 #16	2 #8 w/ 1 #6



BUTT SPLICE TERMINAL, VINYL INSULATED

Part#	MFG#	Min. Wire Size	Max Wire size
10013025	83-9281	#22 AWG	#18 AWG
10013026	83-9291	#16 AWG	#14 AWG
10013027	83-9301	#12 AWG	#10 AWG



R.5.4. Tools & Accessories

CABLE TIES, NYLON

Part#	MFG#	Color	Tensile	Length	Thickness
10012767	B36HOL	UV Black	175 LB	36"	0.087
10012763	B14L9C	Natural	120 LB	15"	0.069
10012762	B14S9C	Natural	50 LB	14.6"	0.054
10012758	B11S9C	Natural	50 LB	11.1"	0.054
10012766	B11S9C	UV Black	50 LB	11.1"	0.054
10012770	B8I9M	Natural	40 LB	8.9"	0.05
10012765	B7S9C	UV Black	50 LB	7.6"	0.054
10012764	B7S9C	Natural	50 LB	7.6"	0.054
10012757	B5I9C	Natural	40 LB	5.8"	0.05
10012769	B4MOM	UV Black	18 LB	4.1"	0.035



PADS PSA MOUNTING 1"SQ X .215"H PK=100

Nylon mounting pad features adhesive backing #8 hole size and .07" slot. Natural. Measures 1 L x 1 W x .215 H.

10012768 BMPS9C



TAPE FISH W/WINDER 200' IDEAL

240 ft Blued-Steel Tuff-Grip Pro Fish Tape, Formed hook

10012749 31-057 (31-025)



R.6. Power Distribution

R.6.1. Extension Cords

VINYL OUTDOOR EXTENSION CORDS, THREE CONDUCTOR

Part#	MFG#	Wire GA/Cond	Wire Type	Color	Length Feet
10012888	2307	16/3	SJTW	Orange	25
10012889	2308	16/3	SJTW	Orange	50
10012890	2309	16/3	SJTW	Orange	100



VINYL OUTDOOR EXTENSION CORDS, THREE CONDUCTOR

Part#	MFG#	Wire GA/Cond	Wire Type	Color	Length Feet
10012891	2407	14/3	SJTW	Red	25
10012892	24088804	14/3	SJTW	Red	50
10012893	2409	14/3	SJTW	Red	100



VINYL OUTDOOR EXTENSION CORDS, THREE CONDUCTOR-LIGHTED END

Part#	MFG#	Wire GA/Cond	Wire Type	Color	Length Feet
10012894	2588	12/3	SJTW	Yellow	50
10012895	25890002	12/3	SJTW	Yellow	100



CORD GFCI 12/3 SJEOW 30" 15A IN-LINE TRI-SOURCE

15 Amp, 120 Volt, 2' Cord Set, Molded-On NEMA Plug (5-15P) and Triple-Tap Connector (5-15R), Automatic Reset GFCI Device, 12-3 SEOW Cord

10012543 26020008-6



CORD EXT TRI-SOURCE 12/3 50' YEL LIGHTED END

12/3, 50' SJEOW 3-Way Polar/Solar Tri-Source Power Blocks, 125 VAC Nominal Operating Voltage, Yellow

10012887 3488



CORD EXT TRI-SOURCE 12/3 2' ORG

12/3, 2' STW Adapter Cord Set with Tri-Source Three Outlet Cord Connector, PVC, Yellow, 15A Maximum Operating Current

10012882 4112



MULTI-OUTLET VINYL EXTENSION CORDS, TRI-SOURCE THREE WAY POWER BLOCK W/ LIGHTED END

Part#	MFG#	Wire GA/Cond	Wire Type	Color	Length Feet
10012884	4187	12/3	SJTW	Yellow	25
10012885	4188	12/3	SJTW	Yellow	50
10012886	4189	12/3	SJTW	Yellow	100



CORD EXT TRI-SOURCE 14/3 25' RED

14/3, 25' Tri-Source SJTW Three Receptacle Extension Cord Set, Red, 15A Maximum Operating Current
10012883 4217



CORD EXT 12/3 100' RED/WHT LIGHTED END

100' Stripes Extension Cords, Red w/White Stripe, 12/3 AWG Conductor Size
10012881 02549-88-41



R.6.2. Power Strips & Surge Protectors

SURGE ADAPTER 6-OUTLET PLUG-IN

Six Outlet Surge Protection Adapter, Plug-In, Full Protection, 15A, 125 V/AC, 2-Pole, Type 3 SPD, 3-Wire Grounding, NEMA 5-15R, Maximum Surge Current 12kA/Mode, Computer Gray Color, 340 Joules
10013021 ESCB1177V



SURGE PROTECTOR POWER STRIP W/ CIRCUIT BREAKER

Surge Protection Power Strip, 70J, 2-Pole, 3-Wire Grounding, 6 Outlet with Circuit Breaker, 15 Ampere, 125 V/AC, NEMA 5-15
10013023 YC-102F-1



R.7. Electrical Starters, Switches, Controls

R.7.2. Electrical Switches

SWITCH 9013 FSG2J21 30-50 PSI PRESSURE

Water Pump Pressure Switches Type F Pumptrol Class 9013. NEMA 1 FSG2, Standard action Device J21 30-50 PSI
10009715 7721



R.7.4. Misc. Controls

TIMER 9050JCK22V20 VARIABLE DELAY PLUG-IN

Plug-In Timers,DPDT ,240 VAC , 110 V DC - 120 V AC
Control Circuit Voltage, Time delay range 0.3...30 s
10012962 3262



SQUARE D
by Schneider Electric

TIMER RELAY 9050JCK25V20 10AMP 240VAC TYPE JCK

Plug-In Timers,DPDT ,240 VAC , 110 V DC - 120 V AC
Control Circuit Voltage, Time delay range 1.8...180 s
10012876 3265



SQUARE D
by Schneider Electric

RELAY SOCKET 8501NR61 600 VAC 5 AMP TYPE K

Square D 8501 Type NR Relay Socket Type, Single Tiered
Screw Clamp Terminals Electrical Connection
10012905 58367



SQUARE D
by Schneider Electric

THERMAL UNITS B3.00 SQ.D

B3.00 overload relay thermal unit.
10012907 58736



SQUARE D
by Schneider Electric

THERMAL UNITS B7.70 SQ.D

Thermal Overload Unit Type B Melting Alloy, 7, 8 Nema Size,
9.42 TO 10.43 AMPERE (1 THERMAL UNIT) Motor Fla
10012911 58744



SQUARE D
by Schneider Electric

THERMAL UNITS B2.65 SQ.D 58735

Thermal Units, Overload Heater Element, 7, 8 Nema Size,
3.48 TO 3.79 AMPERE (1 THERMAL UNIT) Motor Fla
10012906 B2.65 58735



SQUARE D
by Schneider Electric

R.8. Batteries

BATTERY 1150 AC-DELCO

AC Delco heavy-duty battery for use in construction farm marine and industrial applications. Features 900 Amps to handle high initial cranking loads in severe conditions.

10014057 1150



ACDelco

BATTERY LANTERN DURACELL 6V SQ SPRING TERM

Duracell spring-top alkaline lantern battery. 6V. Measures 2.563" L x 2.563 W x 4.25 H.

10013193 MN908



DURACELL

BATTERY LANTERN DURACELL 6V RECT SCREW TERM

Duracell 6v Alkaline Lantern Battery, Non Rechargeable

10014349 MN918



DURACELL

BATTERY 6V SPRING TOP ALKALINE 12AH LANTERN

6-Volt Spring Terminals, Alkaline D Cell

10013181 806



RAYOVAC

BATTERY 6V SCREW TOP GP CARBON 27AH LANTERN TYPE

6-Volt Screw Terminals, General Purpos

10013182 918



RAYOVAC

PROCELL INDUSTRIAL ALKALINE BATTERIES

Part#	MFG#	Size
10014350	PC1300	D
10014351	PC1400	C
10014353	PC1604	9V
10014352	PC1500	AA
10014354	PC2400	AAA



**DURACELL
PROCELL**

ULTRA PRO ALKALINE BATTERIES

Part#	MFG#	Size
10013179	AL-D	D
10013178	AL-C	C
10013180	AL-9V	9V
10013175	AL-AA	AA
10013176	AL-AAA	AAA



VARTA RECHARGEABLE BATTERIES, 2PK

Part#	MFG#	Size
10013170	V5706301402	AA
10013171	V5703301402	AAA



BATTERY 3N ALKALINE 1.5V

Duracell Procell Battery, 1-1/2 v, Alkaline, 24 Ea/Pkg, 40 Pkg/Ctn
10009908 GIL PC9100



BATTERY 1.5V 303/357 SILV OX BUTTON CD=1

303/357 Silver Oxide 1.5-Volt Battery, 1 Pack, For Use In Watches, Calculators, Remote Controls and Medical Devices

10013183 303/357ZM-1



BATTERY 2032 3.0V LITH CD=1

Lithium Keyless Entry Battery 2032 Size Carded, 1 Pack, 3.0-Volt

10013185 KECR2032-1



BATTERY 3V 123A LITHIUM PHOTO/ ELECTRONICS CD=1

Lithium Photo Battery 123A Size Carded, 1 Pack, 3.0-Volt

10013184 RL123A-1



BATTERY 1.5V AAAA STYLUS ALKALINE CD=2

Varta Photo Alkaline Max Tech AAAA, 2-Pack

10013177 V4761101412



R. **ELECTRICAL**